
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (ASCVD) PREVENTION


SCORE BELGIUM


Tables d'évaluation du risque cardiovasculaire mortel à 10 ans

Version adaptée à la population Belge



- •!! When Diabetes (+) and/or LDLc>190 mg/dl, subjects considered high risk
- Majority of population in intermediate/moderate risk groups
- Efficiency to discriminate true risky people limited!!





ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (ASCVD) PREVENTION Risk Enhancers

- FAMILY HISTORY OF PREMATURE ASCVD: (CAD, CABG/PTCA, SUDDEN DEATH, STROKE) IN FIRST LINE RELATIVES < 55Y FOR MEN, <65 FOR WOMEN
- CHRONIC KIDNEY DISEASE: KIDNEY INSUFFISIENCY (GFR < 30 ML/MIN)
- METABOLIC SYNDROME: HIGH BP, GLYCEMIAE, TAG, WAIST CIRC, SEDENTARITY
- CONDITIONS SPECIFIC TO WOMEN: ECLAMPSIA, PREECLAMPSIA, PREMATURE MENOPAUSE
- SLEEP APNEA SYNDROM:
- Inflammatory diseases: psoriasis, rhumatoid arthritis, HIV, ...
- **ETHNICITY**: SOUTH ASIAN ORIGINS
- Hs-CRP>2, ANKLE-BRACHIAL INDEX<0,9
- PERSISTANTLY HIGH TAG (>175), AND/OR LDLC (>160), AND/OR LP(A) (>50)